















1107N















1107F




1107






NR	ELEMENT	1107N	1107F
E1		1	1
E2		1	1
E3		1	1
E4		1	1
E5		1	1
E6		1	1


NR	ELEMENT	1107N	1107F
E7		1	1
E8		1	1
E9	 F11P_1_HP_g13_v2 83cm x 83cm	2	2
E10		2	2
E11	 R1100_3_Y_v1 L= 70cm	2	2
E12	 H=90cm	1	1

NR	ELEMENT	1107N	1107F
E13	 H=90cm R	1	1
E14	 H=90cm L	1	1
E15	 81 cm 123 cm	1	1
E16	 F11M_14_PE_g15_v1	12	12
E17	 F11M_6_HP_g13_v1	2	2
E18	 H=90cm	1	1

NR	ELEMENT	1107N	1107F
E19		1	1
E20		1	1
E21	 H=90cm	1	1
E22	 F1100_0_PE_g15_v1 + M4	1	1
E23	 F1100_1_PE_g15_v1	1	1
E24	 F1100_11_PE_g15_v1	1	1

NR	ELEMENT	1107N	1107F
E25	 F11X_4_PE_g15_v2	2	2
E26	 F11X_11_PE_g15_v1	2	2
E27		1	1

				1107N	1107F
Nr	Element	DIN	ELEMENT	Σ	Σ
9		ISO 7380	M6x25	48	48
10		DIN 9021	6x18	54	54
15		ISO 7380	M6x30	16	16
16		-	K1_d21_B	54	54
17		-	Z1_d21_B	54	54
18		DIN 985	M6	50	50
21		DIN 125	8x16	72	80
22		DIN 125	6x12	102	110
23		-	M6x12	72	80
24		ISO 7380	M6x16	8	16
25		ISO 7380	M6x35	30	30
29		-	K_5_A2_g2_ G_v2	4	4
51		ISO 7380	M6x45	4	4
58		-	LOCTITE	1	1
61		-	KL105		32
109		DIN 913	10x10		2
121		-	7100_5_A2_g3_ G_v1		4
139		DIN 7991	M6x16		16




1107N

1107F

Nr	Element	DIN	ELEMENT	Σ	Σ
213		-	Z_NA_1	1	1
214		-	Z_NA_2	1	1

1107N
1107F




"0"


Technical drawing of a chair, showing the front and side views. The drawing includes dimensions for the chair's components and overall size.

Dimensions:

- Overall width: 583
- Overall height: 691
- Seat height: 391
- Backrest height: 150
- Seat width: 233
- Backrest width: 150
- Seat depth: 100
- Backrest depth: 100
- Seat cushion thickness: 150
- Backrest cushion thickness: 150
- Seat frame width: 150
- Backrest frame width: 150
- Seat frame depth: 100
- Backrest frame depth: 100




1107N
1107F



1 1107N
1107F




INST_11_18




2 1107N
1107F




INST_11_62



3 1107N
1107F




4 1107N
1107F



5 1107N
1107F




INST_11_49



6 1107N
1107F




INST_11_18



7 1107N
1107F




INST_11_18
INST_11_65



8 1107N
1107F




INST_11_05
INST_11_41
INST_11_68A





9 1107N
1107F

INST_11_68B
INST_11_68C





10 1107N
1107F


INST_11_70
INST_Z_1



1107N




B25 0,5m³




min. 48h

A



B



1107F

Nr	Σ	Element	DIN	ELEMENT
61	3		-	KL105

