
















1108N














1108F







1108






NR	ELEMENT	1108N	1108F
E1		1	1
E2		1	1
E3		1	1
E4		1	1
E5		1	1
E6		1	1


NR	ELEMENT	1108N	1108F
E7		1	1
E8		1	1
E9		1	1
E10		1	1
E11		1	1
E12		1	1

NR	ELEMENT	1108N	1108F
E13	 F11P_1_HP_g13_v2 83cm x 83cm	3	3
E14		2	2
E15	 R1100_3_Y_v1 L= 70cm	3	3
E16	 H=90cm	1	1
E17	 H=90cm R	1	1
E18	 H=90cm L	1	1

NR	ELEMENT	1108N	1108F
E19		1	1
E20	 81 cm 117 cm	1	1
E21	 22 cm 70 cm F11M_14_PE_g15_L_v1	6	6
E22	 22 cm 70 cm F11M_14_PE_g15_v1	6	6
E23	 117 cm 46 cm F11M_15_HP_g13_v1	2	2
E24	 H=120cm	1	1





NR	ELEMENT	1108N	1108F
E25		1	1
E26		1	1
E27	 H=90cm	1	1
E28	 H=120cm	1	1
E29	 F1100_2_PE_g15_v1	1	1
E30	 F1100_9_PE_g15_v1	1	1


NR	ELEMENT	1108N	1108F
E31	 F1100_11_PE_g15_v1	1	1
E32	 F1100_24_PE_g15_v1	1	1
E33	 F11X_4_PE_g15_v2	2	2
E34	 F11X_11_PE_g15_v1	4	4
E35		1	1




1108N

1108F

Nr	Element	DIN	ELEMENT	Σ	Σ
9		ISO 7380	M6x25	48	48
10		DIN 9021	6x18	76	76
15		ISO 7380	M6x30	16	16
16		-	K1_d21_B	76	76
17		-	Z1_d21_B	76	76
18		DIN 985	M6	72	72
21		DIN 125	8x16	88	100
22		DIN 125	6x12	132	144
23		-	M6x12	88	100
24		ISO 7380	M6x16	16	28
25		ISO 7380	M6x35	52	52
29		-	K_5_A2_g2_ G_v2	8	8
51		ISO 7380	M6x45	4	4
58		-	LOCTITE	1	1
61		-	KL105		46
109		DIN 913	10x10		2
121		-	7100_5_A2_ g3_G_v1		6
139		DIN 7991	M6x16		24

				1108N	1108F
Nr	Element	DIN	ELEMENT	Σ	Σ
213		-	Z_NA_1	1	1
214		-	Z_NA_2	1	1

1108N
1108F



"0"

Technical drawing of a mechanical part, likely a bracket or support structure, showing dimensions in millimeters. The drawing includes a top view and a side view.


Top View Dimensions:

- Overall width: 846
- Overall height: 702
- Left side width: 150
- Right side width: 200
- Top edge radius: 150
- Bottom edge radius: 150
- Internal width (left section): 150
- Internal width (right section): 200
- Internal height (left section): 100
- Internal height (right section): 100



Side View Dimensions:

- Overall height: 496
- Top edge radius: 150
- Bottom edge radius: 150
- Internal height (left section): 100
- Internal height (right section): 100

The drawing shows a complex mechanical part with various internal features, including a central rectangular block, a circular hole, and a series of small rectangular slots. The dimensions are provided for each major section and feature.



1108N
1108F




1

1108N
1108F



INST_11_18
INST_11_66




2

1108N
1108F



INST_11_05
INST_11_41
INST_11_68A




3

1108N
1108F



INST_11_68B




4

1108N
1108F



INST_11_71




5

1108N
1108F



INST_11_18




6

1108N
1108F



INST_11_18




7

1108N
1108F



INST_11_05
INST_11_41
INST_11_68A




8

1108N
1108F



INST_11_68C




9

1108N
1108F



INST_11_51




10

1108N
1108F



INST_11_18




11

1108N
1108F



INST_11_62




12

1108N
1108F




INST_11_41
INST_11_68A



13 1108N
1108F




INST_11_62
INST_11_68C



14 1108N
1108F



INST_11_70










15


1108N
1108F



INST_Z_1





Nr	Σ	Element	DIN	ELEMENT
61	3		-	KL105

