



The advantages of Beluga warm-air showers:

- suitable for demanding, continuous operation on a daily basis
- vandalism-resistant
- compliant with the highest safety requirements
- economical energy consumption
- completely new Swiss design
- even quieter operation
- space-saving with flush installation option
- 20 to 30 years of use
- 20-year parts warranty

World innovation with the latest innovative technology

Rez warm-air showers

Beluga

The all-new Beluga warm-air showers have a lot of impressive new features: the new high-performance induction motor, the gas-pressure spring system for height adjustment and optimum maintenance-friendliness.

And a particularly attractive feature: the Beluga's height adjustment system can now also be mounted flush to the wall, saving space. The high-performance ventilator enables reliable long-term operation, and the high-frequency radar technology with precisely set coverage allows problem-free positioning.

The warm-air showers are available in selected colour combinations (or in your individual colour scheme), with or without height adjustment and of course flush- or surface-mounted. Practical: the height-adjustable versions are also available with built-in crystal mirror.

And by the way: the Beluga warm-air shower is the only truly vandalism-resistant device in its class.

Hands-free, high-frequency radar with timer

The world exclusive developed by Rez revolutionises the use of warm-air showers. A great benefit for users is the high-end automatic timer. When the radar detects movement within its precisely set coverage area (10 – 15 cm), the device turns on and runs for 2.5

minutes. While the radar continues to detect movement, the device keeps running its 2.5-minute cycles. This prevents the nuisance of switching on and off during the process. A positive factor for children: they just have to pull the device to the height they want. No buttons to press — stand under it, dry your hair, and that's that.

Beluga warm-air showers for the public domain

Public operators also benefit from considerable advantages. The device has no openings for sensors or switches, which prevents damage and reduces maintenance. And this will please your maintenance budget: all technical repairs take less than five minutes. You just replace the part yourself.



Rez warm-air showers


Beluga: inspiring technology

The Beluga warm-air shower, an all-new development, has many clever details designed to impress.





NEW! Flush-mounted model now also height adjustable
The depth of installation can be individually adjusted with our proprietary depth adjustment for different finishes (tiles, wood, concrete, etc.)



Gas-pressure spring system
With the high-performance spring system, it is impossible to force the hair dryer up and down. This guarantees durability.



Height adjustment with precision rail guides
The powder-coated full-metal height adjustment system has a range of 530 mm. The precision rail guides are designed to bear a load of 140 kg; it is therefore almost impossible to vandalise the height adjustment system.



Power connection
There is a cavity running along the back of the height adjustment system through which the power connection can be laid along the entire length of the height adjustment system. The power cable is concealed on the back and is not visible. Likewise, the internal spiral cable is sealed, increasing the safety of all users.




Crystal mirror
A high-quality, vandalism-resistant crystal mirror is installed as standard in the Beluga V/S and UPV/S. The Beluga V surface-mounted model has no mirror.




Robust plastic hood
The Beluga's air inlet is at the back, making the plastic hood very robust. A practical innovation: The hood just folds down for repairs and maintenance. The hair dryer stays at the desired height.



High-performance induction motor
The motor unit is sealed so that no dust or moisture can penetrate the electronics and bearings. For long-term, trouble-free operation, dust and dirt have to be removed from the fan regularly. This is an easy process thanks to the modular system.



High-frequency radar with timer and distance setting
World exclusive in the Beluga warm-air showers. The customer can individually set the time (30 sec. – 5 min., factory setting 2.5 min.) and the distance (10 – 15 cm) to suit his or her own needs.



Ceramic heater
The ceramic heater is non-flammable. The 0.7 mm heating filament is indestructible. The heater is fitted with double overheating protection, ensuring a high level of safety. However, if overheating does occur, the unit will switch off automatically and start again after cooling with no damage to the unit. Important: Dust must be removed from the unit every 3 months. The heater is easy to clean thanks to its ease of access, ensuring a long lifespan.



Maintenance made even easier
Because of its simple design (modular principle), the Beluga is easy to disassemble. This ensures easy maintenance by the customer. Maintenance costs are reduced. Any repair takes five minutes at most. Thorough cleaning is completed in less than ten minutes.

See the Beluga video for more information:

www.rez-ag.ch/en/beluga-video



More product information can be found at

www.rez-ag.ch/en/beluga-public



Beluga warm-air showers

The three basic models



Beluga UPV/S
Flush-mounted model
Height-adjustable with crystal mirror



Beluga V/S and V
Surface-mounted model
Height-adjustable, crystal mirror optional



Beluga Fix
Fixed unit
Not suitable for public facilities

	Vandalism-resistant plastic casing	Fixed unit	Height adjustment system (530mm)	with mirror	HF radar technology with timer	Air exhaust m ³ /h	Discharge air temperature °C	Weight kg	Dimensions mm (WxHxD)
Beluga UPV/S	×		×	×	×	258	65	26.2	290x1288x Depth from wall: 298 Depth of installation: 77
Beluga V/S	×		×	×	×	258	65	20.5	250x1212x370
Beluga V	×		×		×	258	65	19.7	250x1212x370
Beluga Fix	×	×			×	258	65	3.7	242x300x292

- × Operating voltage 230 V/50 Hz
- × Nominal output 2000 W
- × HF radar technology: hands-free motion detection (range 10 – 20 cm)
- × With timer:
Period adjustable from 30 sec. to 5 min.
Factoring setting 2.5 min.

- Child friendly
- Barrier-free
- High performance thanks to induction motor
- Comfortable, simple operation
- Timer
- Designed for public facilities
- Quiet (65 dB)
- Low energy consumption
- Sustainable
- 20 to 30 years of use
- 20-year parts warranty
- Vandalism-resistant



Rez warm-air showers comply with the following safety standards




- × SEV Mark of Conformity (international process by Electrosuisse)
- × Safety mark from the Swiss Federal Inspectorate for Heavy Current Installations (ESTI)
- × EU declaration of conformity
- × Drip-proof (IPX1)



Selected harmonious colour combinations

 ABS colored
 ABS painted

Beluga flush-mounted height adjustment pure white RAL 9010 / aluminium white RAL 9006



Ruby red
RAL 3003

Azure blue
RAL 5009

Anthracite grey
RAL 7016

Pearl mouse grey
RAL 7048

Aluminium white
RAL 9006

Pure white
RAL 9010

Beluga surface-mounted height adjustment pure white RAL 9010 / aluminium white RAL 9006



Ruby red
RAL 3003

Azure blue
RAL 5009

Anthracite grey
RAL 7016

Pearl mouse grey
RAL 7048

Aluminium white
RAL 9006

Pure white
RAL 9010

Beluga Fix



Ruby red
RAL 3003

Azure blue
RAL 5009

Anthracite grey
RAL 7016

Pearl mouse grey
RAL 7048

Aluminium white
RAL 9006

Pure white
RAL 9010

All Beluga modes are also available in individual RAL or NCS-S colours.